


Plaque PA6G Polyamide coulé

Q22-PA6G


COULEURS

- NAT : naturel.
- NOIR.

CARACTÉRISTIQUES

- Plaque entière : brut de sciage.

USINAGE

- Reportez-vous au tableau d'usinage.

SUR DEMANDE

- Format spécifique.

Référence	Couleur	Ép.	L	I	Tol. ép.		Poids	
					mini	maxi		
		mm	mm	mm	mm	mm	kg	
Q22-PA6G	NAT	8	1000	500	+0,2	+1,5	5,255	<input type="checkbox"/>
Q22-PA6G	NAT	8	1000	1000	+0,2	+1,5	10,51	<input type="checkbox"/>
Q22-PA6G	NAT	8	2000	1000	+0,2	+1,5	21,6	<input checked="" type="checkbox"/>
Q22-PA6G	NAT	8	2500	1250	+0,2	+1,5	33,7	<input type="checkbox"/>
Q22-PA6G	NAT	10	1000	500	+0,2	+1,5	6,443	<input type="checkbox"/>
Q22-PA6G	NAT	10	1000	1000	+0,2	+1,5	12,885	<input type="checkbox"/>
Q22-PA6G	NAT	10	2000	1000	+0,2	+1,5	26,5	<input checked="" type="checkbox"/>
Q22-PA6G	NAT	10	2500	1250	+0,2	+1,5	41,4	<input type="checkbox"/>
Q22-PA6G	NAT	12	1000	500	+0,6	+2,5	7,63	<input type="checkbox"/>

Référence	Couleur	Ép.	L	I	Tol. ép.		Poids	
					mini	maxi		
		mm	mm	mm	mm	mm	kg	
Q22-PA6G	NAT	12	1000	1000	+0,6	+2,5	15,26	<input type="checkbox"/>
Q22-PA6G	NAT	12	2000	1000	+0,6	+2,5	31,4	<input checked="" type="checkbox"/>
Q22-PA6G	NAT	12	2500	1250	+0,6	+2,5	49	<input type="checkbox"/>
Q22-PA6G	NAT	16	1000	500	+0,3	+2,5	10,005	<input type="checkbox"/>
Q22-PA6G	NAT	16	1000	1000	+0,3	+2,5	20,01	<input type="checkbox"/>
Q22-PA6G	NAT	16	2000	1000	+0,3	+2,5	41,1	<input checked="" type="checkbox"/>
Q22-PA6G	NAT	16	2500	1250	+0,3	+2,5	64,2	<input checked="" type="checkbox"/>
Q22-PA6G	NAT	20	1000	500	+0,3	+2,5	12,383	<input type="checkbox"/>
Q22-PA6G	NAT	20	1000	1000	+0,3	+2,5	24,765	<input type="checkbox"/>

Ref-Coul-Ep-LXI

Exemple
de commande
Q22-PA6G-NAT-EP8-1000X500

SÉRIE

MECA

Plaque PA6G Polyamide coulé

Q22-PA6G
























Disponibilité : Stock Découpe Usine Affrètement






















Référence	Couleur	Ép.	L	I	Tol. ép.		Poids	
					mini	maxi		
		mm	mm	mm	mm	mm	kg	
Q22-PA6G	NAT	20	2000	1000	+0,3	+2,5	50,9	<input checked="" type="checkbox"/>
Q22-PA6G	NAT	20	2500	1250	+0,3	+2,5	79,5	<input checked="" type="checkbox"/>
Q22-PA6G	NAT	25	1000	500	+0,3	+2,5	15,44	<input type="checkbox"/>
Q22-PA6G	NAT	25	1000	1000	+0,3	+2,5	30,88	<input type="checkbox"/>
Q22-PA6G	NAT	25	2000	1000	+0,3	+2,5	63,4	<input checked="" type="checkbox"/>
Q22-PA6G	NAT	25	2500	1250	+0,3	+2,5	99,1	<input checked="" type="checkbox"/>
Q22-PA6G	NAT	30	1000	500	+0,5	+3,5	18,528	<input type="checkbox"/>
Q22-PA6G	NAT	30	1000	1000	+0,5	+3,5	37,055	<input type="checkbox"/>
Q22-PA6G	NAT	30	2000	1000	+0,5	+3,5	76,1	<input checked="" type="checkbox"/>
Q22-PA6G	NAT	30	2500	1250	+0,5	+3,5	119	<input checked="" type="checkbox"/>
Q22-PA6G	NAT	35	1000	500	+0,5	+3,5	21,615	<input type="checkbox"/>
Q22-PA6G	NAT	35	1000	1000	+0,5	+3,5	43,23	<input type="checkbox"/>
Q22-PA6G	NAT	35	2000	1000	+0,5	+3,5	88,8	<input checked="" type="checkbox"/>
Q22-PA6G	NAT	40	1000	500	+0,5	+3,5	24,703	<input type="checkbox"/>
Q22-PA6G	NAT	40	1000	1000	+0,5	+3,5	49,405	<input type="checkbox"/>
Q22-PA6G	NAT	40	2000	1000	+0,5	+3,5	101,5	<input type="checkbox"/>
Q22-PA6G	NAT	50	1000	500	+0,5	+3,5	30,88	<input checked="" type="checkbox"/>

Référence	Couleur	Ép.	L	I	Tol. ép.		Poids	
					mini	maxi		
		mm	mm	mm	mm	mm	kg	
Q22-PA6G	NAT	50	1000	1000	+0,5	+3,5	61,76	<input type="checkbox"/>
Q22-PA6G	NAT	50	2000	1000	+0,5	+3,5	126,9	<input type="checkbox"/>
Q22-PA6G	NAT	60	1000	500	+0,5	+5,0	37,055	<input type="checkbox"/>
Q22-PA6G	NAT	60	1000	1000	+0,5	+5,0	74,11	<input checked="" type="checkbox"/>
Q22-PA6G	NAT	60	2000	1000	+0,5	+5,0	152,3	<input type="checkbox"/>
Q22-PA6G	NAT	70	1000	500	+0,5	+5,0	43,233	<input type="checkbox"/>
Q22-PA6G	NAT	70	1000	1000	+0,5	+5,0	86,465	<input type="checkbox"/>
Q22-PA6G	NAT	70	2000	1000	+0,5	+5,0	177,6	<input checked="" type="checkbox"/>
Q22-PA6G	NAT	80	1000	500	+0,5	+7,0	49,408	<input type="checkbox"/>
Q22-PA6G	NAT	80	1000	1000	+0,5	+7,0	98,815	<input type="checkbox"/>
Q22-PA6G	NAT	80	2000	1000	+0,5	+7,0	203	<input type="checkbox"/>
Q22-PA6G	NAT	90	1000	500	+0,5	+7,0	55,583	<input checked="" type="checkbox"/>
Q22-PA6G	NAT	90	1000	1000	+0,5	+7,0	111,165	<input type="checkbox"/>
Q22-PA6G	NAT	90	2000	1000	+0,5	+7,0	222,33	<input type="checkbox"/>
Q22-PA6G	NAT	100	1000	500	+0,5	+7,0	61,76	<input type="checkbox"/>
Q22-PA6G	NAT	100	1000	1000	+0,5	+7,0	123,52	<input checked="" type="checkbox"/>
Q22-PA6G	NAT	100	2000	1000	+0,5	+7,0	247,04	<input type="checkbox"/>

Plaque PA6G Polyamide coulé

Q22-PA6G

Référence	Couleur	Ép.	L	I	Tol. ép.		Poids	
					mini	maxi		
		mm	mm	mm	mm	mm	kg	
Q22-PA6G	NOIR	8	1000	500	+0,2	+1,5	5,255	
Q22-PA6G	NOIR	8	1000	1000	+0,2	+1,5	10,51	
Q22-PA6G	NOIR	8	2000	1000	+0,2	+1,5	21,6	
Q22-PA6G	NOIR	10	1000	500	+0,2	+1,5	6,443	
Q22-PA6G	NOIR	10	1000	1000	+0,2	+1,5	12,885	
Q22-PA6G	NOIR	10	2000	1000	+0,2	+1,5	26,5	
Q22-PA6G	NOIR	12	1000	500	+0,6	+2,5	7,63	
Q22-PA6G	NOIR	12	1000	1000	+0,6	+2,5	15,26	
Q22-PA6G	NOIR	12	2000	1000	+0,6	+2,5	31,4	
Q22-PA6G	NOIR	16	1000	500	+0,3	+2,5	10,005	
Q22-PA6G	NOIR	16	1000	1000	+0,3	+2,5	20,01	
Q22-PA6G	NOIR	16	2000	1000	+0,3	+2,5	41,1	
Q22-PA6G	NOIR	20	1000	500	+0,3	+2,5	12,383	
Q22-PA6G	NOIR	20	1000	1000	+0,3	+2,5	24,765	
Q22-PA6G	NOIR	20	2000	1000	+0,3	+2,5	50,9	
Q22-PA6G	NOIR	25	1000	500	+0,3	+2,5	15,44	
Q22-PA6G	NOIR	25	1000	1000	+0,3	+2,5	30,88	
Q22-PA6G	NOIR	25	2000	1000	+0,3	+2,5	63,4	
Q22-PA6G	NOIR	30	1000	500	+0,5	+3,5	18,528	
Q22-PA6G	NOIR	30	1000	1000	+0,5	+3,5	37,055	
Q22-PA6G	NOIR	30	2000	1000	+0,5	+3,5	76,1	
Q22-PA6G	NOIR	35	1000	500	+0,5	+3,5	21,615	

Référence	Couleur	Ép.	L	I	Tol. ép.		Poids	
					mini	maxi		
		mm	mm	mm	mm	mm	kg	
Q22-PA6G	NOIR	35	1000	1000	+0,5	+3,5	43,23	
Q22-PA6G	NOIR	35	2000	1000	+0,5	+3,5	88,8	
Q22-PA6G	NOIR	40	1000	500	+0,5	+3,5	24,703	
Q22-PA6G	NOIR	40	1000	1000	+0,5	+3,5	49,405	
Q22-PA6G	NOIR	40	2000	1000	+0,5	+3,5	101,5	
Q22-PA6G	NOIR	50	1000	500	+0,5	+3,5	30,88	
Q22-PA6G	NOIR	50	1000	1000	+0,5	+3,5	61,76	
Q22-PA6G	NOIR	50	2000	1000	+0,5	+3,5	126,9	
Q22-PA6G	NOIR	60	1000	500	+0,5	+5,0	37,055	
Q22-PA6G	NOIR	60	1000	1000	+0,5	+5,0	74,11	
Q22-PA6G	NOIR	60	2000	1000	+0,5	+5,0	152,3	
Q22-PA6G	NOIR	70	1000	500	+0,5	+5,0	53,28	
Q22-PA6G	NOIR	70	1000	1000	+0,5	+5,0	97,68	
Q22-PA6G	NOIR	70	2000	1000	+0,5	+5,0	177,6	
Q22-PA6G	NOIR	80	1000	500	+0,5	+7,0	49,408	
Q22-PA6G	NOIR	80	1000	1000	+0,5	+7,0	98,815	
Q22-PA6G	NOIR	80	2000	1000	+0,5	+7,0	203	
Q22-PA6G	NOIR	100	1000	500	+0,5	+7,0	61,76	
Q22-PA6G	NOIR	100	1000	1000	+0,5	+7,0	123,52	
Q22-PA6G	NOIR	100	2000	1000	+0,5	+7,0	247,04	

Ref-Coul-Ep-LXI

Exemple
de commande
Q22-PA6G-NAT-EP8-1000X500

SÉRIE

MECA

www.michaud-chailly.fr

MICHAUD CHAILLY